UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

NOTICE OF ALLOWANCE AND FEE(S) DUE

27076

7590

09/17/2008

DORSEY & WHITNEY LLP INTELLECTUAL PROPERTY DEPARTMENT SUITE 3400 1420 FIFTH AVENUE SEATTLE, WA 98101

EXAMINER				
PRINCE, FRED G				
ART UNIT	PAPER NUMBER			
1797				

DATE MAILED: 09/17/2008

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/577,745	04/09/2007	Walter Herding	187743/US	2807

TITLE OF INVENTION: REACTOR AND METHOD FOR ANAEROBIC WASTEWATER TREATMENT

APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1440	\$300	\$0	\$1740	12/17/2008

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

HOW TO REPLY TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

A. If the status is the same, pay the TOTAL FEE(S) DUE shown above.

B. If the status above is to be removed, check box 5b on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and twice the amount of the ISSUE FEE shown above, or

If the SMALL ENTITY is shown as NO:

A. Pay TOTAL FEE(S) DUE shown above, or

B. If applicant claimed SMALL ENTITY status before, or is now claiming SMALL ENTITY status, check box 5a on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and 1/2 the ISSUE FEE shown above.

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: Mail Mail Stop ISSUE FEE

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

or <u>Fax</u> (571)-273-2885

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where ar in m

ppropriate. All further adicated unless corrected international control of the co	correspondence including d below or directed oth	ig the Patent, advance of the Block 1, by (a	rders and notification of a) specifying a new con	of ma	aintenance fees wi condence address;	ll be i and/or	mailed to the current (b) indicating a sepa	correspond cate "FE	ondence address as E ADDRESS" for
	ENCE ADDRESS (Note: Use Bl	ock 1 for any change of address)	F	∃ee(s) Transmittal This	certifi	can only be used for icate cannot be used for such as an assignment ling or transmission.	or any of	her accompanying
SUITE 3400	L PROPERTY DE				Certi	ficate	of Mailing or Transi Transmittal is being ficient postage for firs ISSUE FEE address 273-2885, on the da	nission	
1420 FIFTH AV SEATTLE, WA			L						(Depositor's name)
			-						(Signature)
	_		L						(Date)
APPLICATION NO.	FILING DATE		FIRST NAMED INVENT	OR		ATTO	RNEY DOCKET NO.	CONF	RMATION NO.
10/577,745 ITLE OF INVENTION	04/09/2007 : REACTOR AND MET	HOD FOR ANAEROBI	Walter Herding C WASTEWATER TR	EAT	MENT		187743/US		2807
APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DU	Œ	PREV. PAID ISSUE	FEE	TOTAL FEE(S) DUE		DATE DUE
nonprovisional	NO	\$1440	\$300		\$0		\$1740		12/17/2008
EXAM	INER	ART UNIT	CLASS-SUBCLASS						
PRINCE,	FRED G	1797	210-603000	_					
. Change of correspondence address or indication of "Fee Address" (37 FR 1.363). Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached. "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.			(1) the names of up or agents OR, altern (2) the name of a si registered attorney of	f a single firm (having as a member a rney or agent) and the names of up to tent attorneys or agents. If no name is					
PLEASE NOTE: Unli recordation as set forth (A) NAME OF ASSIG	ess an assignee is identi n in 37 CFR 3.11. Comp GNEE	A TO BE PRINTED ON ' ified below, no assignee detion of this form is NO categories (will not be pr	data will appear on the T a substitute for filing (B) RESIDENCE: (CI	e pat an as	ent. If an assigned ssignment. and STATE OR CC	OUNT			_
	re submitted: o small entity discount p	permitted)	 Payment of Fee(s): (F A check is enclose Payment by credit The Director is her overpayment, to Do 	d. card eby a	. Form PTO-2038 authorized to charg	is atta	ched.	ïciency,	or credit any
a. Applicant claims	t us (from status indicated s SMALL ENTITY statu	s. See 37 CFR 1.27.	☐ b. Applicant is no	_	-				
OTE: The Issue Fee and terest as shown by the r	d Publication Fee (if requeecords of the United Sta	uired) will not be accepte tes Patent and Trademark	d from anyone other that Office.	an the	e applicant; a regist	ered a	attorney or agent; or th	assign	e or other party in
Authorized Signature					Date				
Typed or printed name	e			Registration No.					
his collection of information application. Confident abmitting the completed its form and/or suggestions 1450, Alexandria, V Lexandria,	iality is governed by 35 lapplication form to the ons for reducing this bur irginia 22313-1450. DC	FR 1.311. The informatic U.S.C. 122 and 37 CFR USPTO. Time will vary den, should be sent to th ONOT SEND FEES OR	on is required to obtain 1.14. This collection is depending upon the in e Chief Information Of COMPLETED FORMS	or re estindivid ficer TO	tain a benefit by the mated to take 12 m dual case. Any con , U.S. Patent and T THIS ADDRESS.	e publ inutes iment radem SENI	ic which is to file (and to complete, includin, s on the amount of tin hark Office, U.S. Depa O TO: Commissioner f	by the Ug gatherine you re treat correct or treat or Paten	JSPTO to process) ng, preparing, and equire to complete of Commerce, P.O. ts, P.O. Box 1450,

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/577,745	04/09/2007	Walter Herding	187743/US	2807	
27076 75	90 09/17/2008		EXAM	INER	
DORSEY & WH	ITNEY LLP	PRINCE, FRED G			
	PROPERTY DEPART	ART UNIT	PAPER NUMBER		
SUITE 3400			1797		
1420 FIFTH AVE		DATE MAILED: 09/17/200	8		
SEATTLE, WA 98	3101			_	

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment to date is 0 day(s). If the issue fee is paid on the date that is three months after the mailing date of this notice and the patent issues on the Tuesday before the date that is 28 weeks (six and a half months) after the mailing date of this notice, the Patent Term Adjustment will be 0 day(s).

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

	Application No.	Applicant(s)	
	10/577,745	HERDING ET AL.	
Notice of Allowability	Examiner	Art Unit	
	FRED PRINCE	1797	
	FRED PRINCE	1797	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commits IGHTS. This application is	n this application. If not included unication will be mailed in due course	
1. ☑ This communication is responsive to <u>August 26, 2008</u> .			
2. X The allowed claim(s) is/are 24-28, 30, 32-42, 44, 49-94 (re	enumbered as 1-64 <u>)</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		or (f).	
2. ☐ Certified copies of the priority documents have		on No	
3. ☑ Copies of the certified copies of the priority do	• •		om the
International Bureau (PCT Rule 17.2(a)).	damento nave been receive	a in the hational stage application in	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirem	nents
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			E OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) \square including changes required by the Notice of Draftspers	son's Patent Drawing Revie	w (PTO-948) attached	
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment o	r in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			of
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT			ne
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 🗖 Notice of I	nformal Patent Application	
 Notice of Trefferences Gled (110-032) DNotice of Draftperson's Patent Drawing Review (PTO-948) 		summary (PTO-413),	
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No.	/Mail Date Amendment/Comment	
Paper No./Mail Date <u>0808</u>	_		•
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's	Statement of Reasons for Allowance	3
/Fred Prince/	9. ☐ Otilei	_ `	
Primary Examiner, Art Unit 1797			
,			

Application/Control Number: 10/577,745 Page 2

Art Unit: 1797

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

Per claim 24, while it is known in the art to provide a hybrid reactor for anaerobic wastewater treatment comprising a plurality of porous carrier elements occupying fiat at least part of the height of the hybrid reactor; a space in a lower portion of the hybrid reactor between the lower confines thereof and the carrier elements, an upper portion of the hybrid reactor between the upper confines thereof and the carrier elements; a supply line for waste water to be treated and to be introduced into the hybrid reactor for the first time; a discharge system for finally discharging treated waste water from the hybrid reactor, a central flow channel extending from the top of the hybrid reactor in downward direction from a first distance from the upper confines of the reactor to a second distance from the lower confines of the a space between the central flow channel and a wall of the hybrid reactor in which the carrier elements are positioned, the space extending for at least part of the height of the flow channel, the carrier elements forming a structured, ordered fixed bed, to permit flow therethrough, the carrier elements being arranged with flow passages having a predetermined width range between adjacent carrier elements; a separator system located in the upper portion of the hybrid reactor below the discharge system, the separator system being structured to retain microorganisms floating in the waste water in the hybrid reactor and to separate water passed between the carrier elements into a first partial flow flowing into the central flow channel at the top end of the hybrid reactor, and a branched-off second partial flow the hybrid reactor being structured to allow the waste water flow in

the hybrid reactor in a loop through the central flow channel in downward direction, then through the space in the lower portion, then along the carrier elements in upward direction, and finally again into the central flow channel (see, for example, DE 20021046), in the examiner's opinion, the prior art fails to teach or render obvious; and a recirculation system structured to withdraw water from the second partial flow and recirculate the withdrawn water into the waste water loop flow, the recirculation system including a withdrawal member positioned above a portion of the separator system and at a lower level of the discharge system.

Per claim 42, while it is known in the art to provide a process for anaerobic treatment in a hybrid reactor combining using microorganism pellets and fixed-bed immobilization of microorganisms, in which the waste water to be treated circulates in the hybrid reactor, the process comprising: directing a mixture of the waste water and the microorganism pellets through a space in the lower portion of the hybrid reactor; then directing the mixture of the waste water and the microorganism pellets upwardly in a space of the hybrid reactor, immobilizing microorganisms in the mixture of the waste water and the microorganism pellets using a structured, ordered fixed bed on carrier elements that are porous to permit flow therethrough and form flow passages between each other; then directing the mixture of the waste water and the microorganism pellets to a separator system serving to retain microorganisms floating in the waste water in the hybrid reactor and separating the waste water into a first partial flow and a second partial flow directing the second- first partial flow, centrally in the hybrid reactor from the top in a downward direction back into the space in the lower portion of the hybrid reactor

(see, for example, DE 20021046) in the examiner's opinion, the prior art fails to teach or render obvious recirculating at least part of the waste water in the second partial flow into the waste water flow in the hybrid reactor.

Per claims 49 and 57, while it is known in the art to provide a hybrid reactor for anaerobic waste water treatment, comprising: a plurality of porous carrier elements occupying at least part of the height of the hybrid reactor; a space in a lower portion of the hybrid reactor between the lower confines thereof and the carrier elements; an upper portion of the hybrid reactor between the upper confines thereof and the carrier elements; a supply line for waste water to be treated and to be introduced into the hybrid reactor for the first time; a discharge system for discharging treated waste water from the hybrid reactor, a central flow channel extending from the top of the hybrid reactor in downward direction from a first distance from the upper confines of the reactor to a second distance from the lower reactor; the hybrid reactor being structured to allow the waste water flow in the hybrid reactor in a loop through the central flow channel in downward direction, then through the space in the lower portion, then along the carrier elements in upward direction, and finally again into the central flow channel; a space between the central flow channel and a wall of the hybrid reactor in which the carrier elements are positioned, the space extending for at least part of the height of the flow channel, the carrier elements forming a structured, ordered fixed bed to permit flow therethrough, and a separator system located in the upper portion of the hybrid reactor below the discharge system, the separator system being structured to retain microorganisms floating in the waste water in the hybrid reactor (see, for example, DE

20021046), in the examiner's opinion, the prior art fails to teach or render obvious the carrier elements being arranged with flow passages each having a predetermined width range between adjacent carrier elements of 3 to 6 cm or the carrier elements comprising carrier elements substantially of plastics particles and expanded clay particles that are unified with each other.

Per claims 67 and 77, while it is known in the art to provide a plurality of porous carrier elements occupying at least part of the height of the hybrid reactor; a space in a lower portion of the hybrid reactor between the lower confines thereof and the carrier elements; an upper portion of the hybrid reactor between the upper confines thereof and the carrier elements; a supply line for waste water to be treated and to be introduced into the hybrid reactor for the first time; a discharge system for discharging treated waste water from the hybrid reactor, a central flow channel extending from the top of the hybrid reactor in downward direction from a first distance from the upper confines of the reactor to a second distance from the lower reactor; the hybrid reactor being structured to allow the waste water flow in the hybrid reactor in a loop through the central flow channel in downward direction, then through the space in the lower portion, then along the carrier elements in upward direction, and finally again into the central flow channel; a space between the central flow channel and a wall of the hybrid reactor in which the carrier elements are positioned, the space extending for at least part of the height of the flow channel, the carrier elements forming a structured, ordered fixed bed to permit flow therethrough, and a separator system located in the upper portion of the hybrid reactor below the discharge system, the separator system being structured to retain

microorganisms floating in the waste water in the hybrid reactor (see, for example, DE 20021046), in the examiner's opinion, the prior art fails to teach or render obvious the reactor further including a flow hindrance positioned on the wall of the lower portion of the hybrid reactor or a plurality of different kinds of microorganisms in the form of immobilized microorganisms and microorganism pellets, the microorganisms in the pellets being different from the immobilized microorganisms.

Per claim 87, while it is known in the art to provide a hybrid reactor for anaerobic waste water treatment, comprising: a plurality of microorganism pellets; a plurality of carrier elements occupying at least part of the height of the hybrid reactor for immobilizing microorganisms; a space in a lower portion of the hybrid reactor between the lower confines thereof and the carrier elements to contain the plurality of microorganism pellets for degradation of waste water contamination by the microorganism pellets; an upper portion of the hybrid reactor between the upper confines thereof and the carrier elements; a supply line for waste water to be treated and to be introduced into the hybrid reactor; a discharge system for discharging treated waste water from the hybrid reactor, a central flow channel extending from the top of the hybrid reactor in downward direction from a first distance from the upper confines of the reactor to a second distance from the lower confines of the reactor; the hybrid reactor being structured to allow the waste water flow in the hybrid reactor in a loop through the central flow channel in downward direction, then through the space in the lower portion, then along the carrier elements in upward direction, and finally again into the central flow channel; the carrier elements positioned in an annular space between the central

Application/Control Number: 10/577,745

Art Unit: 1797

flow channel and a wall of the hybrid reactor for at least part of the height of the flow channel for immobilizing microorganisms, the carrier elements comprising a structured, ordered fixed porous bed to permit flow therethrough, the carrier elements being arranged with flow passages having a predetermined width range between adjacent carrier elements; a separator system located in the upper portion of the hybrid reactor below the discharge system to retain the microorganisms floating in the waste water in the hybrid reactor; the waste water inclusive of the microorganism pellets flowing in the hybrid reactor in a loop through the central flow channel in downward direction, then through the space in the lower portion, then along the carrier elements in upward direction and finally again into the central flow channel (see, for example, DE 20021046), in the examiner's opinion, the prior art fails to teach or render obvious the reactor further comprising a recirculation system structured to withdraw water from the second partial flow and recirculate the withdrawn water into the waste water loop flow, the recirculation system including a withdrawal member positioned above a portion of the separator system and at a lower level of the discharge system.

Page 7

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to FRED PRINCE whose telephone number is (571)272-

1165. The examiner can normally be reached on Monday-Thursday, 6:30-4:00; alt. Fridays 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Fred Prince/ Primary Examiner, Art Unit 1797

fgp 9/9/08